I'm not a bot

If youre looking to make customized labels, look no further than Microsoft Word. Whether for personal or professional use, Word provides a comprehensive feature set for creating personalized mailing labels. Heres how to do it. Making Custom Labels in Word When you consider how long Word has been around, its no surprise the application has evolved past creating only simple documents. Not only does it provide the tools to create personalized envelopes it also comes equipped to make custom labels to go with them. Go ahead and open a blank Word doc and head over to the Mailings tab. Next, click the Labels button. In the Envelopes and Labels window that opens, youll find yourself already on the Labels tab. Type the information you want on the label into the Address box. If youve previously created an envelope and saved your return address, then you can tick the box next to Use return address, and it will transfer the information for you. In the Print section, you can specify that youd like to print a full page of the same label. Alternatively, you can select the "Single Label" option and specify the rows and columns if you want to print a specific number of labels. The Label section gives you a description of your current label selection. To change it, youll need to select Options. Lets go ahead and do that. In the Label Options window, you can tell Word how youll be printing the labels and the brand of the label. Under Product number, you can select the label type from the provided list. Youll notice the specifications of the labels will appear under Label information. The information displayed here is relative to the selected product number. If you cant find what youre looking for, you can select New Label and type the exact details of what you need. When youre happy with your setup, click OK. Make sure you have your labels loaded into the appropriate tray in your printer and then click Print. Now lets assume you want to print a bunch of labels on a single page, but print different information on each label. No worries---Word has you covered. Open a new Word document, head over to the Mailings tab, and then click the Labels button. In the Envelopes and Labels window, click the Options button at the bottom. In the Label Options window that opens, select an appropriate style from the Product Number list. In this example, well use the 30 Per Page option. Click OK when you've made your selection. Back in the Envelopes and Labels window, click the New Document button. A new Word document will appear, displaying a blank label template. Now, type the information you want into each label and print them out when youre finished! Empty Basket Your basket is empty, please click here to visit our home page and look for products. Important: it appears as though your browser is blocking cookies. Our website will not remember the items in your basket if cookies are disabled. Please check your browser settings. You can print a single label or an entire sheet of labels.Microsoft Word has premade label templates for most brands and styles of labels.You can use a pre-made mailing list to create labels for printing.1Obtain the labels you need. Labels come in different sizes and for different purposes, for everything from regular, no. 10 envelopes to legal-sized mailings and CD covers. Get the labels that are best suited for your project and needs.You can buy self-adhesive, pre-cut label printing paper online or at an office supply store.According to Professional Organizer Caitlin Jaymes, printed labels are an excellent organizational aid if you have a lot of paper documents to keep track of. Using typed and printed labels instead of handwritten ones helps ensure that your labels are clear and easy to read. 2 Advertisement 3Click the Mailings tab. It's at the top of the document window.4Click Labels. It's at the far-left of the toolbar.Depending on which version of Word youre using, you might see this in the Create section of the toolbar.If prompted, click OK to grant Word access to your contacts.5Select Options. Youll see this button in the window that pops up when you click Labels.[1]6Select the right options for your label and printer. In the Options menu, select your printer type, the brand of the label (using the Label Products or Label Vendors dropdown), and the specific type of label youre planning to print on (in the Product Number menu).The information youll need to select the right product number should be marked on the packaging of the labels youre using.You can also click New Label to create a custom label to your own exact specifications instead of selecting from one of the product presets.Click OK once youre done making your selections.7Add text to the label. Do so by typing a recipient's address, name badge text, CD label, etc., in the Delivery Address field or by clicking the address book icon to the right of the field, selecting a recipient, and clicking Insert.You can also check the Use my address or Use Return Address box to automatically fill in any address information linked to your Microsoft account.8Click Font and customize the text style. This dialog box allows you to customize the look of the labels by selecting a font, text size, text color, and style.When youre done adjusting the text, click OK.9Select the number of labels you're printing.Click Full page of the same label to print a full sheet of the label.To print just one label, click Single label and then identify the row and the column on the label sheet where you'd like the label to be printed.10Insert the blank label sheet into your printer. Make sure you have them aligned correctly for your printer.Use the Customize button to select the printer option that best matches how you load the label sheets into your printer.11Click Print. Make sure the print preview of the labels looks the way you want it to, check that your printer settings are correct, then click Print again to confirm.Click File in the menu bar and Save if you want to save this label template for future use. Advertisement 1Get a sheet of printable labels. You can order them online or get them from an office supply store.2Create a new Word document. Launch Word and create a new, blank document.3Select Labels in the Mailings tab. Click Mailings at the top of the document window and select Labels.[2]4Click Options. Youll see this button in the window that opens up.5Choose your printer type and product information. In the Options window, select the type of printer you have, then use the dropdowns to choose your brand of label and specific product. Click OK when youre done to close the Options window.You can also click New Label to create a label using your exact specifications instead of the presets.6Click New Document. Or, if youre on a Mac, click OK. This will create a document displaying a table that matches the sheet of labels you configured.If you cant see the outlines of the labels, go to Table > View Gridlines in the menu at the top of the screen.7Type your information into each label. You can enter whatever text or other elements you want into each label on the grid.8Go to File and select Print. Make sure the print preview matches with the orientation of your label sheet in the printer. When youre ready, click Print to confirm.Make sure you save the file if you want to print your labels again in the future. Advertisement 1Obtain the labels you need. Labels come in different sizes and for different purposes, for everything from regular, no. 10 envelopes to legal-sized mailings. Get the labels that are best suited for your project and needs from an office supply store.2Prepare your mailing list. Word can pull names and addresses from an Excel spreadsheet, an Access database, your Outlook contacts, or on Mac, your Apple contacts, or a FileMaker Pro database. You can also type a new mailing list during the merge if you prefer.3Create a new Microsoft Word document. Open Word and create a blank document.4Click the Mailings tab. It's at the top of the document window.5Click Start Mail Merge and select Labels. It's at the far-left of the toolbar.If prompted, click OK to grant Word access to your contacts.6Click Starting Document and select Label Options. If youre using the Mac version of Word, you can skip this stepthe Label Options menu will open as soon as you click Labels.7Click the radio button next to your printer type.8Select your label manufacturer from the Label Products menu. This menu might also be called Label vendors.If your manufacturer isn't listed, examine the label packaging for the label dimensions and the number per sheet. With this information, you can select an equivalent product.9Select your product from the Product number drop down. Click the product number for your label. It should be clearly marked on the packaging.You can also click New Label to create a custom label instead of using the presets.10Click OK. You should now see a table with the outline of your labels. If you dont, go to Table > View Gridlines.11Click Select Recipients. Click the Select Recipients button next to the Start Mail Merge button in the toolbar.12Select your mailing list. On a Windows computer, click Browse to select a source for your mailing list. On a Mac, youll see a dropdown menu with a list of options. Click on the source of the addresses you want to put on the labels.If you want to create a new list at this point, click Create a new List.If you don't want to create labels for your entire mailing list, click Edit Recipient List and select the recipients you want to include.Click OK once youve made your selection.13Click Arrange your labels and select Address block. This works a little differently on a Mac. Instead, select a label on the grid, click Insert Merge Field in the menu bar, and select any fields you want to include.14Select the elements you want to include on the labels. These include name format, business, name, etc. Click OK when youre done.On a Mac, simply select each field from the Insert Merge Field dropdown. You dont have to click OK.15Click Update Labels. It's an icon in the toolbar with a green "refresh" symbol.16Click Preview Results in the toolbar. Make sure the labels look the way you want them to.17Insert the blank label sheets into your printer. Make sure you have them aligned correctly for your printer.18Click Finish & Merge and Print Documents. It's at the far right of the toolbar.19Click Print. Your label(s) will print.Click File in the menu bar and Save if you want to save this label template for future use. Advertisement Add New Question Question When I type a sheet of labels, sometimes a second blank page appears. How do I remove the second page? Go to the bottom of the first page, and hit the 'delete' key - it should go away. Question How do I print labels that are all different addresses? Use a mail merge. Add all of the different addresses, then print each one. Question How do I make a full page of address labels? There should be an option called "mail merge." You need a mailing list and your document; the list can be a spreadsheet, an Outlook directory etc. See more answers Ask a Question Advertisement This article was co-authored by Caitlin Jaymes and by wikiHow staff writer, Megaera Lorenz, PhD. Caitlin Jaymes is a Closet Organizer and Fashion Stylist based in Los Angeles, California. With a background in Fashion PR and Fashion Design, she specializes in creating wardrobes for her clients with pieces they already own. She has experience working with celebrities, editorial shoots, and men and women of all ages. Caitlin uses fashion and organization to help instill and influence confidence, ambition, and stress-free lifestyles for all her clients. She runs her business by two guiding principles: fashion has no rules, only guidance on how to look and feel your best and life has too many stressors, dont let clutter be one of them. Caitlins work has been featured on HGTV, The Rachael Ray Show, VoyageLA, Liverpool Los Angeles, and the Brother Snapchat Channel. This article has been viewed 732,991 times. Co-authors: 28 Updated: December 27, 2024 Views:732,991 Categories: Microsoft Word PrintSend fan mail to authors Thanks to all authors for creating a page that has been read 732,991 times. "I have Microsoft Office 10, so I had to improvise just a bit from your directions, but they got me on the right track and I now have my address label template. Thanks!"..." more Share your story Share copy and redistribute the material in any medium or format for any purpose, even commercially. Adapt remix, transform, and build upon the material for any purpose, even commercially. The licensor cannot revoke these freedoms as long as you follow the license terms. Attribution You must give appropriate credit , provide a link to the license, and indicate if changes were made . You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use. ShareAlike If you remix, transform, or build upon the material, you must distribute your contributions under the same license as the original. No additional restrictions You may not apply legal terms or technological measures that legally restrict others from doing anything the license permits. You do not have to comply with the license for elements of the material in the public domain or where your use is permitted by an applicable exception or limitation . No warranties are given. The license may not give you all of the permissions necessary for your intended use. For example, other rights such as publicity, privacy, or moral rights may limit how you use the material. 64-bit extension of the ARM architectureARM AArch64 (64-bit)Introduced2011; 14years ago(2011)VersionARMv8-R, ARMv8-A, ARMv8.1-A, ARMv8.2-A, ARMv8.3-A, ARMv8.4-A, ARMv8.5-A, ARMv8.6-A, ARMv8.7-A, ARMv8.8-A, ARMv8.9-A, ARMv9.0-A, ARMv9.1-A, ARMv9.2-A, ARMv9.3-A, ARMv9.4-A, ARMv9.5-A, ARMv9.6-AEncodingAArch64/A64 and AArch32/A32 use 32-bit instructions, AArch32/T32 (Thumb-2) uses mixed 16- and 32-bit instructions[1]EndiannessBi (little as default)ExtensionsSVE, SVE2, SME, AES, SM3, SM4, SHA, CRC32, RNDR, TME; All mandatory: Thumb-2, Neon, VFPv4-D16, VFPv4; obsolete: JazelleRegistersGeneral-purpose31 64-bit integer registers[1]Floating point32 128-bit registers[1] for scalar 32- and 64-bit FP or SIMD FP or integer; or cryptographyAArch64 or ARM64 is the 64-bit Execution state of the ARM architecture family. It was first introduced with the Armv8-A architecture, and has had many extension updates.[2]An Execution state, in ARMv8-A, ARMv8-R, and ARMv9-A, defines the number of bits in the primary processor registers, the available instruction sets, and other aspects of the processor's execution environment. In those versions of the Arm architecture, there are two Execution states, the 64-bit AArch64 Execution state and the 32-bit AArch32 Execution state.[3]64-bit:Execution state: AArch64.Instruction sets: A64.32-bit:Execution state: AArch32.Instruction sets: A32 + T32.Example: ARMv8-R, Cortex-A32.[4]New instruction set, A64:Has 31 general-purpose 64-bit registers.Has dedicated zero or stack pointer (SP) register (depending on instruction).The program counter (PC) is no longer directly accessible as a register.Instructions are still 32bits long and mostly the same as A32 (with LDM/STM instructions and most conditional execution dropped).Has paired loads/stores (in place of LDM/STM).No predication for most instructions (except branches).Most instructions can take 32-bit or 64-bit arguments.Addresses assumed to be 64-bit.Advanced SIMD (Neon) enhanced:Has 32 128-bit registers (up from 16), also accessible via VFPv4.Supports double-precision floating-point format.Fully IEEE 754 compliant.AES encrypt/decrypt and SHA-1/SHA-2 hashing instructions also use these registers.A new exception system:Fewer banked registers and modes.Memory translation from 48-bit virtual addresses based on the existing Large Physical Address Extension (LPAE), which was designed to be easily extended to 64-bit.Extension: Data gathering hint (ARMv8.0-DGH).AArch64 was introduced in ARMv8-A and is included in subsequent versions of ARMv8-A, and in all versions of ARMv9-A. It was also introduced in ARMv8-R as an option, after its introduction in ARMv8-A; it is not included in ARMv8-M.The main opcode for selecting which group an A64 instruction belongs to is at bits 2528.A64 instruction formatsTypeBit31029282726252423222120191817161514131211109876543210Reserved0op00000op1SME1op00000VariesUnallocated0001SVE0010VariesUnallocated0011Data Processing Immediate PC-rel.opimmlo10000immhiRdData Processing Immediate Otherssf1000111RdBranches + System Instructionsop0101op1op2Load and Store Instructionsop01op10op2op3op4Data Processing Registersfop0op1101op2op3Data Processing Floating Point and SIMDop0111op1op2op3See also: Comparison of ARMv8-A processorsArmv8-A platform with Cortex-A57/A53 MPCore big.LITTLE CPU chipAnnounced in October 2011,[5] ARMv8-A represents a fundamental change to the ARM architecture. It adds an optional 64-bit Execution state, named "AArch64", and the associated new "A64" instruction set, in addition to a 32-bit Execution state, "AArch32", supporting the 32-bit "A32" (original 32-bit Arm) and "T32" (Thumb/Thumb-2) instruction sets. The latter instruction sets provide user-space compatibility with the existing 32-bit ARMv7-A architecture. ARMv8-A allows 32-bit applications to be executed in a 64-bit OS, and a 32-bit OS to be under the control of a 64-bit hypervisor.[1] ARM announced their Cortex-A53 and Cortex-A57 cores on 30 October 2012.[6] Apple was the first to release an ARMv8-A compatible core (Cyclone) in a consumer product (iPhone 5S). AppliedMicro, using an FPGA, was the first to demo ARMv8-A.[7] The first ARMv8-A SoC from Samsung is the Exynos 5433 used in the Galaxy Note 4, which features two clusters of four Cortex-A57 and Cortex-A53 cores in a big.LITTLE configuration; but it will run only in AArch32 mode.[8]ARMv8-A includes the VFPv3/v4 and advanced SIMD (Neon) as standard features in both AArch32 and AArch64. It also adds cryptography instructions supporting AES, SHA-1/SHA-256 and finite field arithmetic.[9]An ARMv8-A processor can support one or both of AArch32 and AArch64; it may support AArch32 and AArch64 at lower Exception levels and only AArch64 at higher Exception levels.[10] For example, the ARM Cortex-A32 supports only AArch32,[11] the ARM Cortex-A34 supports only AArch64,[12] and the ARM Cortex-A72 supports both AArch64 and AArch32.[13] An ARMv9-A processor must support AArch64 at all Exception levels, and may support AArch32 at EL0.[10]In December 2014, ARMv8.1-A,[14] an update with "incremental benefits over v8.0", was announced. The enhancements fell into two categories: changes to the instruction set, and changes to the exception model and memory translation.Instruction set enhancements included the following:A set of AArch64 atomic read-write instructions.Additions to the Advanced SIMD instruction set for both AArch32 and AArch64 to enable opportunities for some library optimizations:Signed Saturating Rounding Doubling Multiply Accumulate, Returning High Half.Signed Saturating Rounding Doubling Multiply Subtract, Returning High Half.The instructions are added in vector and scalar forms.A set of AArch64 load and store instructions that can provide memory access order that is limited to configurable address regions.The optional CRC instructions in v8.0 become a requirement in ARMv8.1.Enhancements for the exception model and memory translation system included the following:A new Privileged Access Never (PAN) state bit provides control that prevents privileged access to user data unless explicitly enabled.An increased VMID range for virtualization; supports a larger number of virtual machines.Optional support for hardware update of the page table access flag, and the standardization of an optional, hardware updated, dirty bit mechanism.The Virtualization Host Extensions (VHE). These enhancements improve the performance of Type 2 hypervisors by reducing the software overhead associated when transitioning between the Host and Guest operating systems. The extensions allow the Host OS to execute at EL2, as opposed to EL1, without substantial modification.[15]A mechanism to free up some translation table bits for operating system use, where the hardware support is not needed by the OS.Top byte ignore for memory tagging.[16]ARMv8.2-A was announced in January 2016.[17] Its enhancements fall into four categories:Optional half-precision floating-point data processing (half-precision was already supported, but not for processing, just as a storage format.)Memory model enhancements.Introduction of Reliability, Availability and Serviceability Extension (RAS Extension).Introduction of statistical profiling.The Scalable Vector Extension (SVE) is "an optional extension to the ARMv8.2-A architecture and newer" developed specifically for vectorization of high-performance computing scientific workloads.[18][19] The specification allows for variable vector lengths to be implemented from 128 to 2048 bits. The extension is complementary to, and does not replace, the NEON extensions.A 512-bit SVE variant has already been implemented on the Fugaku supercomputer using the Fujitsu A64FX ARM processor; this computer[20] was the fastest supercomputer in the world for two years, from June 2020[21] to May 2022.[22] A more flexible version, 2x256 SVE, was implemented by the AWS Graviton3 ARM processor.SVE is supported by GCC, with GCC 8 supporting automatic vectorization[19] and GCC 10 supporting C intrinsics. As of July 2020[update], LLVM and clang support C and IR intrinsics. ARM's own fork of LLVM supports auto-vectorization.[23]In October 2016, ARMv8.3-A was announced. Its enhancements fell into six categories:[24]Pointer authentication (PAC)[25][26] (AArch64 only); mandatory extension (based on a new block cipher, QARMA[27]) to the architecture (compilers need to exploit the security feature, but as the instructions are in NOP space, they are backwards compatible albeit providing no extra security on older chips).Nested virtualization (AArch64 only).Advanced SIMD complex number support (AArch64 and AArch32); e.g. rotations by multiples of 90 degrees.New FJCVTZS (Floating-point JavaScript Convert to Signed fixed-point, rounding toward Zero) instruction.[28]A change to the memory consistency model (AArch64 only); to support the (non-default) weaker RCpc (Release Consistent processor consistent) model of C++11/C11 (the default C++11/C11 consistency model was already supported in previous ARMv8).ID mechanism support for larger system-visible caches (AArch64 and AArch32).ARMv8.3-A architecture is now supported by (at least) the GCC 7 compiler.[29]In November 2017, ARMv8.4-A was announced. Its enhancements fell into these categories:[30][31][32]"SHA3 / SHA512 / SM3 / SM4 crypto extensions." I.e. optional instructions.Improved virtualization support.[33]Memory Partitioning and Monitoring (MPAM) capabilities.A new Secure EL2 state and Activity Monitors.Signed and unsigned integer dot product (SDOT and UDOT) instructions.In September 2018, ARMv8.5-A was announced. Its enhancements fell into these categories:[34][35][36]Memory Tagging Extension (MTE) (AArch64).[37]Branch Target Indicators (BTI) (AArch64) to reduce "the ability of an attacker to execute arbitrary code". Like pointer authentication, the relevant instructions are no-ops on earlier versions of ARMv8-A.Random Number Generator instructions "providing Deterministic and True Random Numbers conforming to various National and International Standards".On 2 August 2019, Google announced Android would adopt Memory Tagging Extension (MTE).[38]In March 2021, ARMv9-A was announced. ARMv9-A's baseline is all the features from ARMv8.5.[39][40][41] ARMv9-A also adds:Scalable Vector Extension 2 (SVE2). SVE2 builds on SVE's scalable vectorization for increased fine-grain Data Level Parallelism (DLP), to allow more work done per instruction. SVE2 aims to bring these benefits to a wider range of software including DSP and multimedia SIMD code that currently use Neon.[42] The LLVM/Clang 9.0 and GCC 10.0 development codes were updated to support SVE2.[42][43]Transactional Memory Extension (TME). Following the x86 extensions, TME brings support for Hardware Transactional Memory (HTM) and Transactional Lock Elision (TLE). TME aims to bring scalable concurrency to increase coarse-grained Thread Level Parallelism (TLP), to allow more work done per thread.[42] The LLVM/Clang 9.0 and GCC 10.0 development codes were updated to support TME.[43]Confidential Compute Architecture (CCA).[44][45][46]In September 2019, ARMv8.6-A was announced. Its enhancements fell into these categories:[34][47]General Matrix Multiply (GEMM).Bfloat16 format support.SIMD matrix manipulation instructions, BFDOT, BFMMLA, BFMLAL and BFCVT.Enhancements for virtualization, system management and security.And the following extensions (that LLVM 11 already added support for[48]):Enhanced Counter Virtualization (ARMv8.6-ECV).Fine-Grained Traps (ARMv8.6-FGT).Activity Monitors virtualization (ARMv8.6-AMU).For example, fine-grained traps, Wait-for-Event (WFE) instructions, EnhancedPAC2 and FPAC. The bfloat16 extensions for SVE and Neon are mainly for deep learning use.[49]In September 2020, ARMv8.7-A was announced. Its enhancements fell into these categories:[34][50]Scalable Matrix Extension (SME)(ARMv9.2 only).[51] SME adds new features to process matrices efficiently, such as:Matrix tile storage.On-the-fly matrix transposition.Load/store/insert/extract tile vectors.Matrix outer product of SVE vectors."Streaming mode" SVE.Enhanced support for PCIe hot plug (AArch64).Atomic 64-byte load and stores to accelerators (AArch64).Wait For Interrupt (WFI) and Wait For Event (WFE) with timeout (AArch64).Branch-Record recording (ARMv9.2 only).Call Stack RecorderIn September 2021, ARMv8.8-A and ARMv9.3-A were announced. Their enhancements fell into these categories:[34][52]Non-maskable interrupts (AArch64).Instructions to optimize memcpy() and memset() style operations (AArch64).Enhancements to PAC (AArch64).Hinted conditional branches (AArch64).LLVM 15 supports ARMv8.8-A and ARMv9.3-A.[53]In September 2022, ARMv8.9-A and ARMv9.4-A were announced, including:[54]Virtual Memory System Architecture (VMSA) enhancements.Permission indirection and overlays.Translation hardening.128-bit translation tables (ARMv9 only).Scalable Matrix Extension 2 (SME2) (ARMv9 only).Multi-vector instructions.Multi-vector predicates.2b/4b weight compression.1b binary networks.Range Prefetch.Guarded Control Stack (GCS) (ARMv9 only).Confidential Computing.Memory Encryption Contexts.Device Assignment.In October 2023, ARMv9.5-A was announced, including:[55]FP8 support (E5M2 and E4M3 formats) added to:SME2SVE2Advanced SIMD (Neon)Live migration of Virtual Machines using Hardware Dirty state tracking structures (FEAT_HDBSS)Checked Point ArithmeticSupport for using a combination of the PC and SP as the modifier when generating or checking Pointer Authentication codes.Support for Realm Management Extension (RME) enabled designs, support for non-secure only in the Granule Protection Tables and the ability to disable certain Physical Address Spaces (PAS).EL3 configuration write-traps.Breakpoint support for address range and mismatch triggering without the need for linking.Support for efficiently delegating SErrors from EL3 to EL2 or EL1.In October 2024, ARMv9.6-A was announced, including:[56]Improved SME efficiency with structured sparsity and quarter tile operationsMPAM Domains to better support shared-memory computer systems on multi-chiplet and multi-chip systemsHypervisor memory control for Trace and Statistical Profiling on virtual machinesImproved Caching and Data PlacementGranular Data Isolation for Confidential ComputeBitwise locking of EL1 system registersImproved scaling of Granular Protection Tables (GPT) for large memory systemsNew SVE instructions for expand/compact and finding first/last active elementAdditional unprivileged load and store instructions to enable OS to interact with application memoryNew compare and branch instructionInjection of Undefined-Instruction exceptions from EL3This section needs expansion with: examples and additional citations. You can help by adding to it. Relevant discussion may be found on Talk:AArch64. (May 2021)The ARM-R architecture, specifically the Armv8-R profile, is designed to address the needs of real-time applications, where predictable and deterministic behavior is essential. This profile focuses on delivering high performance, reliability, and efficiency in embedded systems where real-time constraints are critical.With the introduction of optional AArch64 support in the Armv8-R profile, the real-time capabilities have been further enhanced. The Cortex-R82[57] is the first processor to implement this extended support, bringing several new features and improvements to the real-time domain.[58]AArch64 Instruction Set (A64):The A64 instruction[28] set in the Cortex-R82 provides 64-bit data handling and operations, which improves performance for certain computational tasks and enhances overall system efficiency.[57]Example Instruction: ADD X0, X1, X2 adds the values in 64-bit registers X1 and X2 and stores the result in X0. This 64-bit operation allows for larger and more complex calculations compared to the 32-bit operations of the previous A32 instruction set.Enhanced Memory Management:Memory Barrier Instructions: The Cortex-R82 introduces improved memory barrier instructions to ensure proper ordering of memory operations, which is critical in real-time systems where the timing of memory operations must be strictly controlled.[59]Data Synchronization Barrier (DSB): Ensures that all data accesses before the barrier are completed before continuing with subsequent operations.Data Memory Barrier (DMB): Guarantees that all memory accesses before the barrier are completed before any memory accesses after the barrier can proceed.Example: In a real-time automotive control system, DSB might be used to ensure that sensor data is fully written to memory before the system proceeds with processing or decision-making, preventing data corruption or inconsistencies.Improved Address Space:64-bit Addressing: AArch64 allows the Cortex-R82 to address a much larger memory space compared to its 32-bit predecessors, making it suitable for applications requiring extensive memory.Example: A complex industrial automation system can utilize the expanded address space to manage large data sets and buffers more efficiently, improving system performance and capability.Real-Time Performance Enhancements:Interrupt Handling: With AArch64 support, the Cortex-R82 can handle interrupts with lower latency and improved predictability, crucial for real-time operations.Example: In a robotics application, the Cortex-R82's enhanced interrupt handling can ensure timely responses to external stimuli, such as changes in sensor data or control commands.^ a b c d Grisenthwaite, Richard (2011). "ARMv8-A Technology Preview" (PDF). Archived from the original (PDF) on 11 November 2011. Retrieved 31 October 2011.^ "Overview". Learn the architecture: Understanding the Armv8.x and Armv9.x extensions.^ "ARM Cortex-A57 MPCore Processor Technical Reference Manual". Arm Ltd.^ "Cortex-A32 Processor ARM". Retrieved 18 December 2016.^ "ARM Discloses Technical Details Of The Next Version Of The ARM Architecture" (Press release). Arm Holdings. 27 October 2011. Archived from the original on 1 January 2019. Retrieved 20 September 2013.^ "ARM Launches Cortex-A50 Series, the World's Most Energy-Efficient 64-bit Processors" (Press release). Arm Holdings. Retrieved 31 October 2012.^ "AppliedMicro Showcases World's First 64-bit ARM v8 Core" (Press release). AppliedMicro. 28 October 2011. Retrieved 11 February 2014.^ "Samsung's Exynos 5433 is an A57/A53 ARM SoC". AnandTech. Retrieved 17 September 2014.^ "ARM Cortex-A53 MPCore Processor Technical Reference Manual: Cryptography Extension". ARM. Retrieved 11 September 2016.^ a b "Impact of implemented Exception levels". Learn the architecture - AArch64 Exception Model. Arm.^ "Cortex-A32". Arm Developer.^ "Cortex-A34". Arm Developer.^ "Cortex-A72". Arm Developer.^ Brash, David (2 December 2014). "The ARMv8-A architecture and its ongoing development". Retrieved 23 January 2015.^ "ARM Virtualization: Performance and Architectural Implications". ISCA 2016. 18 June 2016.^ "Top-byte ignore (TBI)". WikiChip.^ Brash, David (5 January 2016). "ARMv8-A architecture evolution". Retrieved 7 June 2016.^ "The scalable vector extension sve for the ARMv8 a architecture". Arm Community. 22 August 2016. Retrieved 8 July 2018.^ a b "GCC 8 Release Series Changes, New Features, and Fixes GNU Project Free Software Foundation (FSF)". gcc.gnu.org. Retrieved 9 July 2018.^ "Fujitsu Completes Post-K Supercomputer CPU Prototype, Begins Functionality Trials Fujitsu Global". www.fujitsu.com (Press release). Retrieved 8 July 2018.^ "Japan's Fugaku gains title as world's fastest supercomputer" (Press release). www.riken.jp. 23 June 2020. Retrieved 7 December 2020.^ "ORNL's Frontier First to Break the Exaflop Ceiling". Top500. 30 May 2022. Retrieved 30 May 2022.^ " D71712 Downstream SVE/SVE2 implementation (LLVM)". reviews.llvm.org.^ David Brash (26 October 2016). "ARMv8-A architecture 2016 additions".^ "[Ping~,AArch64] Add commandline support for -march=armv8.3-a". pointer authentication extension is defined to be mandatory extension on ARMv8.3-A and is not optional^ "Pointer Authentication on Arm". ARM. Retrieved 5 March 2025.^ "Qualcomm releases whitepaper detailing pointer authentication on ARMv8.3". 10 January 2017.^ a b "A64 Floating-point Instructions: FJCVTZS". arm.com. Retrieved 11 July 2019.^ "GCC 7 Release Series Changes, New Features, and Fixes". The ARMv8.3-A architecture is now supported. It can be used by specifying the -march=armv8.3-a option. [..] The option -msign-return-address= is supported to enable return address protection using ARMv8.3-A Pointer Authentication Extensions.^ "Introducing 2017's extensions to the Arm Architecture". community.arm.com. 2 November 2017. Retrieved 15 June 2019.^ "Exploring dot product machine learning". community.arm.com. 6 December 2017. Retrieved 15 June 2019.^ "ARM Preps ARMv8.4-A Support For GCC Compiler Phoronix". www.phoronix.com. Retrieved 14 January 2018.^ "NEVE: Nested Virtualization Extensions for ARM". SOSP 2017. 14 October 2017.^ a b c d "ARMv8.x and ARMv9.x extensions and features". Learn the architecture: Understanding the ARMv8.x and ARMv9.x extensions.^ "Arm Architecture ARMv8.5-A Announcement Processors blog Processors Arm Community". community.arm.com. Retrieved 26 April 2019.^ "Arm Architecture Reference Manual ARMv8, for ARMv8-A architecture profile". ARM Developer. Retrieved 6 August 2019.^ "Arm MTE architecture: Enhancing memory safety". community.arm.com. 5 August 2019. Retrieved 27 July 2021.^ "Adopting the Arm Memory Tagging Extension in Android". Google Online Security Blog. Retrieved 6 August 2019.^ "Arm's solution to the future needs of AI, security and specialized computing is v9". Arm | The Architecture for the Digital World. Retrieved 27 July 2021.^ Schor, David (30 March 2021). "Arm Launches ARMv9". WikiChip Fuse. Retrieved 27 July 2021.^ Frumusanu, Andrei. "Arm Announces ARMv9 Architecture: SVE2, Security, and the Next Decade". www.anandtech.com. Retrieved 27 July 2021.^ a b c "Arm releases SVE2 and TME for A-profile architecture Processors blog Processors Arm Community". community.arm.com. 18 April 2019. Retrieved 25 May 2019.^ a b "Arm SVE2 Support Aligning For GCC 10, LLVM Clang 9.0 Phoronix". www.phoronix.com. Retrieved 26 May 2019.^ "Design and Verification of the Arm Confidential Compute Architecture". OSDI 2022. Retrieved 11 July 2022.^ "Unlocking the power of data with Arm CCA". community.arm.com. 23 June 2021. Retrieved 27 July 2021.^ "Arm Introduces Its Confidential Compute Architecture". WikiChip Fuse. 23 June 2021. Retrieved 27 July 2021.^ "Arm A profile architecture update 2019". community.arm.com. 25 September 2019. Retrieved 26 September 2019.^ "LLVM 11.0.0 Release Notes". releases.llvm.org. Retrieved 11 March 2021.^ "BFloat16 extensions for ARMv8-A". community.arm.com. 29 August 2019. Retrieved 30 August 2019.^ Weidmann, Martin (21 September 2020). "Arm A-Profile Architecture Developments 2020". community.arm.com. ARM. Retrieved 28 September 2022.^ "Scalable Matrix Extension for the ARMv9-A Architecture". community.arm.com. 14 July 2021. Retrieved 27 July 2021.^ Weidmann, Martin (8 September 2021). "Arm A-Profile Architecture Developments 2021". community.arm.com. ARM. Retrieved 28 September 2022.^ "What is New in LLVM 15? - Architectures and Processors blog - Arm Community blogs - Arm Community". 27 February 2023. Retrieved 15 April 2023.^ "Arm A-Profile Architecture Developments 2022 - Architectures and Processors blog - Arm Community blogs - Arm Community". community.arm.com. 29 September 2022. Retrieved 9 December 2022.^ "Arm A-Profile Architecture Developments 2023 - Architectures and Processors blog - Arm Community blogs - Arm Community". community.arm.com. 5 October 2023. Retrieved 14 October 2024.^ "Arm A-Profile Architecture Developments 2024 - Architectures and Processors blog - Arm Community blogs - Arm Community". community.arm.com. 1 October 2024. Retrieved 14 October 2024.^ a b Frumusanu, Andrei (3 September 2020). "ARM Announced Cortex-R82: First 64-bit Real Time Processor". AnandTech.^ "Arm Architecture Reference Manual Supplement - Armv8, for Armv8-R AArch64 architecture profile". Arm Ltd.^ "Cortex-R82 Technical Reference Manual".Arm DeveloperRetrieved from " Creating mailing or address labels in Microsoft Word is easier than you might think. Whether you need labels for your business or personal use, Word offers built-in tools to help you design and print sheet labels quickly.In this guide, well show you exactly how to create labels in Word, how to set up a label template, and how to use mail merge labels to print from a list. Well also help you match your sheet labels to the correct label template number in Word. If youre ready to streamline your label printing process, follow these steps!Step 1: Gather Your Information and MaterialsBefore creating your labels, have these ready:Microsoft Word: Any modern version works.Sheet Labels: You can find a variety of high-quality sheet labels here. Be sure to know the size or layout of the labels youre using.Label Content: Make sure your addresses, names, or other information are ready, especially if you plan to use mail merge labels.Step 2: Open Word and Access the Labels ToolFollow these steps to access the labels tool in Word:Open Microsoft Word.In the top menu, click on the Mailings tab.Select Labels.Step 3: Select the Correct Label TemplateNext, choose the right template for your sheet labels by following these steps:After clicking Labels, select Options to open a label settings window.In the Label Vendors dropdown, select Standard Label Sizes (or another suitable option like Avery which contains most label templates).In the Product Number field, choose the size that matches the sheet labels youre using.Heres a guide to help you match your Label Blanks sheet labels with the correct template sizes:If you're unsure which template to use, check the sheet labels packaging or refer to the product page for dimensions. You can find a full range of sheet labels here.Step 4: Create a Label Template in WordIf you'd like to create a custom template, follow these steps:In the Labels Options window, select New Label.Input the dimensions of your sheet labels (height, width, and number of labels per sheet). This information can be found on the products packaging or the Label Blanks product page.Save the template for future use by naming it appropriately.You can also download pre-made sheet label templates from our website (link coming soon), to save time and ensure proper alignment.Step 5: Add Your Label InformationIf youre creating a one-off label, manually enter the content in the Address box. For bulk printing, consider using mail merge labels to save time. Heres how:Click Select Recipients under the Mailings tab.Choose an existing Excel or Google Sheets file with the names and addresses you want to print.Map the fields (e.g., First Name, Last Name, Address) to the labels.Step 6: Preview and PrintOnce you've set up your label template:Click Preview Results under the Mailings tab to see how your labels will look.Make sure everything is aligned and formatted correctly.Load your sheet labels into the printer, ensuring they are facing the correct way based on your printer's specifications.Click Print.If youre using a standard home or office printer, be sure to adjust your printer settings to "Actual size" or 100% scale for accurate label alignment. Run a test print on regular paper first to ensure everything lines up.Final Thoughts on Creating Labels in WordWith these simple steps, you can easily learn how to create labels in Word and print them on your sheet labels. Whether youre printing mailing labels, product tags, or nametags, using Words built-in tools and mail merge labels makes the process efficient and stress-free. Dont forget to use the right label template and save it for future use to streamline your workflow!Need high-quality sheet labels for your next project? Browse our selection and find the perfect labels for your business or personal use right here. Want to learn more? Proprietary software whose full use is limited in timeShareware is a type of proprietary software that is initially shared by the owner for trial use at little or no cost.[1] Often the software has limited functionality or incomplete documentation until the user sends payment to the software developer.[2] Shareware is often offered as a download from a website. Shareware differs from freeware, which is fully-featured software distributed at no cost to the user but without source code being made available; and free and open-source software, in which the source code is freely available for anyone to inspect and alter.There are many types of shareware and, while they may not require an initial up-front payment, many are intended to generate revenue in one way or another. Some limit use to personal non-commercial purposes only, with purchase of a license required for use in a business enterprise. The software itself may be time-limited, or it may remind the user that payment would be appreciated.Trialware or demoware is a program that limits the time that it can be effectively used, commonly via a built-in time limit, number of uses, or only allowing progression up to a certain point (e.g. in video games, see Game demo).[3] The user can try out the fully featured program until the trial period is up, and then most trialware reverts to either a reduced-functionality (freemium, nagware, or crippleware) or non-functional mode, unless the user purchases a full version.[4] Trialware has become normalized for online Software as a Service (SaaS).[citation needed] WinRAR is a notable example of an unlimited trialware, i.e. a program that retains its full functionality even after the trial period has ended.The rationale behind trialware is to give potential users the opportunity to try out the program to judge its usefulness before purchasing a license. According to industry research firm Softletter, 66% of online companies surveyed had free-trial-to-paying-customer conversion rates of 25% or less. SaaS providers employ a wide range of strategies to nurture leads, and convert them into paying customers.Main article: FreemiumFreemium works by offering a product or service free of charge (typically digital offerings such as software, content, games, web services or other) while charging a premium for advanced features, functionality, or related products and services. For example, a fully functional feature-limited version may be given away for free, with advanced features disabled until a license fee is paid. The word freemium combines the two aspects of the business model: "free" and "premium".[5] It has become a popular model especially in the antivirus industry.Main article: AdwareAdware, short for "advertising-supported software", is any software package which automatically renders advertisements in order to generate

(now Epic Games), Ambrosia Software and id Software. It gave consumers the chance to play the game before investing money in it, and it gave them exposure that some products would be unable to get in the retail space.With the Kroz series, Apogee introduced the "episodic" shareware model that became the most popular incentive for buying a game.[30] While the shareware game would be a truly complete game, there would be additional "episodes" of the game that were not shareware and could only be legally obtained by paying for the shareware episode. In some cases these episodes were neatly integrated and would feel like a longer version of the game, and in other cases the later episodes would be stand-alone games. Sometimes the additional content was completely integrated with the unregistered game, such as in Ambrosia's Escape Velocity series, in which a character representing the developer's pet parrot, equipped with an undefeatable ship, would periodically harass and destroy the player after they reached a certain level representing the end of the trial period.Racks of games on single 51/4-inch and later 3.5-inch floppy disks were common in retail stores. However, computer shows[citation needed] and bulletin board systems (BBS) such as Software Creations BBS were the primary distributors of low-cost software. Free software from a BBS was the motivating force for consumers to purchase a computer equipped with a modem, so as to acquire software at no cost. The success of shareware games, including id Software hits Commander Keen and Doom, depended in part on the BBS community's willingness to redistribute them from one BBS to another across North America. The reasons for redistribution included allowing modem users who could not afford long-distance calls the opportunity to view the games.[31]The important distinguishing feature between a shareware game and a game demo is that the shareware game is (at least in theory) a complete working software program albeit with reduced content compared to the full game, while a game demo omits significant functionality as well as content. Shareware games commonly offered both single player and multiplayer modes plus a significant fraction of the full game content such as the first of three episodes, while some even offered the entire product as shareware while unlocking additional content for registered users. By contrast a game demo may offer as little as one single-player level or consist solely of a multiplayer map, this makes them easier to prepare than a shareware game.There are several widely accepted standards and technologies that are used in the development and promotion of shareware.FILE_ID.DIZ is a descriptive text file often included in downloadable shareware distribution packages.Portable Application Description (PAD) is used to standardize shareware application descriptions. PAD file is an XML document that describes a shareware or freeware product according to the PAD specification.[32]DynamicPAD extends the Portable Application Description (PAD) standard by allowing shareware vendors to provide customized PAD XML files to each download site or any other PAD-enabled resource. DynamicPAD is a set of server-side PHP scripts distributed under a GPL license and a freeware DynamicPAD builder for 32-bit Windows. The primary way to consume or submit a DynamicPAD file is through the RoboSoft application by Rudenko Software, the DynamicPAD author. DynamicPAD is available at the DynamicPAD web site.Code signing is a technology that is used by developers to digitally sign their products. Versions of Microsoft Windows since Windows XP Service Pack 2 show a warning when the user installs unsigned software. This is typically offered as a security measure to prevent untrusted software from potentially infecting the machine with malware. However, critics see this technology as part of a tactic to delegitimize independent software development by requiring hefty upfront fees and a review process before software can be distributed.[33]Association of Software ProfessionalsCarewareKeygen^ Bink, Thomas (April 4, 1996). "Shareware Profitable and Popular". The Kingston Whig-Standard (Kingston, Ontario, Canada). p. 17.^ Gnoffo Jr., Anthony (July 4, 1993). "The Shareware Computer Industry, A Growing World Of Innovation, Trust". Night-Ridder Newspapers. Rutland Daily Herald (Rutland, Vermont). p. 8D.^ Alvarez, Julian; Michaud, Laurent (July 2008). Serious Games: Advergaming, edugaming, training and more (PDF). IDATE. p.45. ISBN978-2-84822-169-4. Retrieved June 4, 2022.^ Flynn, Laurie (November 14, 1993). "Cheap, Easy Shareware Big Business". Knight-Ridder Newspapers. Sun Herald (Biloxi, Mississippi). p. C7.^ Jepson, Anna; Lundin, Elin (April 3, 2009). Freemium for large enterprises (Thesis). KTH Royal Institute of Technology. p.14. urn:nbn:se:kth:diva-99781.^ Wang, Wallace (2006). "Adware and Spyware". Steal This Computer Book 4.0: What They Won't Tell You About the Internet. No Starch Press. p.285. ISBN1-59327-105-0. Retrieved June 4, 2022.^ Sipior, Janice C.; Ward, Burke T.; Roselli, Georgina R. (Spring 2005). "The Ethical and Legal Concerns of Spyware". Information Systems Management. 22 (2): 43. doi:10.1201/1078/45099.22.2.20050301/87276.5. S2CID26291227.^ Franceschetti, Donald R. (2016). Principles of Computer Science. Salem Press. pp.112114. ISBN978-1-68217-139-4.^ Milian, Mark (June 13, 2011). "Reading apps sell subscriptions to fuzzy feelings". CNN. Archived from the original on May 22, 2014. Retrieved May 22, 2014.^ Parberry, Ian (June 1995). "The Internet and the Aspiring Games Programmer" (PDF). Proceedings of DAGS 95, "Electronic Publishing and the Information Superhighway". Boston: Birkhauser. p.2. Archived (PDF) from the original on March 4, 2016.^ Giles, Aaron. "Aaron's Computing History". Archived from the original on March 16, 2012. Retrieved August 7, 2006.^ "Exifer for Windows". www.friedemann-schmidt.com. Archived from the original on November 12, 2006. Retrieved January 18, 2016.^ Torvalds, Linus (May 2001). Just for Fun. New York: HarperCollins Publishers. ISBN0-06-662072-4.^ Jump 'n Bump (Archived 2015-12-22 at the Wayback Machine). readme.txt: "JUMP 'N BUMP by Brainchild Design in 1998 Jump 'n Bump is e-mailware. That means you're supposed to send us an e-mail. Write for example where you're from and what you thought about this game. If you do that, you will greatly encourage us to make more games for you!"^ "Postcards".^ Magid, Lawrence J. (August 1982). "PC-Talk". PC Magazine. p.143. Archived from the original on May 26, 2021. Retrieved October 21, 2013.^ Callahan, Michael E. "The History of Shareware". Paul's Picks. Archived from the original on February 2, 2008. Retrieved May 13, 2008.^ Horizon: Psychedelic science by Bill Eagles, (about 41 mins into programme)^ a b Erokan, Dennis (May 1985). "Andrew Fluegelman - PC-Talk and Beyond". MicroTimes. pp.1926. Retrieved March 12, 2025.^ Pournelle, Jerry (July 1983). "Interstellar Drives, Osborne Accessories, DEDICATE/32, and Death Valley". BYTE. p.323. Retrieved August 28, 2016.^ Markoff, John (September 26, 2002). "Bob Wallace, 53, Software Pioneer, Dies". The New York Times. Archived from the original on June 25, 2016. Retrieved May 26, 2016.^ "Association of Software Professionals - A community of real people using real names running real software businesses". www.asp-shareware.org. Archived from the original on April 2, 2010. Retrieved April 28, 2018.^ Watt, Peggy (June 11, 1984). "Software for a Donation". InfoWorld. Vol.6, no.24. p.36. ISSN0199-6649.^ "Bob Wallace Timeline". Erowid. January 12, 2004. Archived from the original on March 2, 2013. Retrieved March 7, 2013.^ Article about Jim "Button" Knopf Archived 2007-02-10 at the Wayback Machine, from Dr. Dobb's Journal^ "PC Mag Nov 24, 1992". November 24, 1992. Archived from the original on August 17, 2021. Retrieved April 1, 2015.^ "Software That is both Shareware and Guiltyware". Archived from the original on May 24, 2014.^ "FTP". Archived from the original on February 21, 2016.^ "Anarchie v1.1.3 1993-94 Peter N Lewis". Archived from the original on October 28, 2015. If you purchase a site license, contact me for information on how to make Anarchie automatically set the I Paid flag in the Preferences dialog (for those who are interested, I leave the I Paid checkbox off on my machine to ensure that the About box is not too annoying and it doesnt trouble me, so live with it:-)^ Hague, James (February 8, 1999). "Gimme Your Money: A Half-Baked History of Shareware". Loonygames. Archived from the original on February 23, 2020. Retrieved February 23, 2020.^ Driscoll 2022, pp.117120.^ "PAD specification". Archived from the original on June 12, 2007. Retrieved May 12, 2006.{{cite web}}: CS1 maint: bot: original URL status unknown (link)^ "Code Signing and You". rogueamoeba.com. Archived from the original on October 18, 2016. Retrieved April 28, 2018.Driscoll, Kevin (2022). The Modem World: A Prehistory of Social Media. Yale University Press. ISBN978-0-300-24814-2. Retrieved June 4, 2022.Look up shareware in Wiktionary, the free dictionary.Independent Software Developers Forum (ISDEF)Retrieved from " 2Video game publisher"Apogee Software" redirects here. For the company founded in 2008, see Apogee Entertainment.3D Realms Entertainment ApSFormerlyApogee Software ProductionsApogee Software, Ltd.Company typeSubsidiaryIndustryVideo gamesFounded1987; 38years ago(1987) in Garland, Texas, USFounderScott MillerHeadquartersAalborg, DenmarkKey peopleFrederik Schreiber (CEO)ProductsList of 3D Realms gamesParentSaber Interactive (2021present)Website3drealms.com3D Realms Entertainment ApS is a video game publisher based in Aalborg, Denmark. Scott Miller founded the company in his parents' home in Garland, Texas, in 1987 as Apogee Software Productions to release his game Kingdom of Kroz. In the late 1980s and early 1990s, the company popularized a distribution model where each game consists of three episodes, with the first given away free as shareware and the other two available for purchase. Duke Nukem was a major franchise created by Apogee to use this model, and Apogee published Commander Keen and Wolfenstein 3D the same way.Apogee began using the brand name 3D Realms for its 3D games in 1994, and in 1996 rebranded the company itself to 3D Realms to focus on traditionally-published 3D titles. Duke Nukem 3D (1996) was released under this name to great success. 3D Realms largely ceased its publishing and development operations afterwards to focus on two extensively delayed games: Prey (2006), which was under development until being taken over by another studio in 2001, and Duke Nukem Forever (2011), which remained under development until 2009. The "Apogee Software" name, library, and logo were licensed to Terry Nagy in 2008, who established Apogee Software LLC to develop and publish ports and spinoffs of Apogee titles.In 2009, 3D Realms, citing financial issues, laid off its development team and the majority of its staff, effectively ceasing operations. In March 2014, the company was acquired by SDN Invest, a Danish holding company and part-owner of Interceptor Entertainment, and relaunched later that year as 3D Realms Entertainment ApS, headquartered in Denmark. 3D Realms Entertainment has since served as a games publisher. Miller remained an advisor for the company until 2021, when he and Nagy acquired the Apogee brand and relaunched Apogee Software LLC as Apogee Entertainment, an independent games publisher. In August 2021, 3D Realms Entertainment was acquired by Embracer Group subsidiary Saber Interactive, which was spun off from Embracer in March 2024.In the early 1980s, Scott Miller often spent time in the computer lab of the high school he was attending, programming text adventures on the facility's Apple II and getting to know fellow student George Broussard.[1] Following graduation, both of them took jobs at local amusement arcade The Twilight Zone, allowing Miller to attend college and increase his interest in video games at the same time.[1] Following his sophomore year, Miller dropped out of the University of Dallas to focus entirely on video games, including participating in tournaments as well as programming his own games.[1] At that time, he found a special interest in the Turbo Pascal programming language and its easy integration on IBM Personal Computers.[2] Miller subsequently figured that his knowledge on video games should earn him more money than he made at The Twilight Zone, wherefore he, with assistance by Broussard, wrote a manual-style book on "how to beat video games".[1] The book fell into obscurity due to an oversaturated market but landed Miller a job as a video game critic for The Dallas Morning News and minor game-centric papers.[1] After four years of writing for the newspaper, he decided that he was capable of creating games that were better than those that he had to review and quit his job. Miller acquired a 16.5k modem, which he installed in his parents' house in Garland, Texas, and started operating as a full-time independent game developer.[1]The Apogee Software logoMost games developed by Miller at the time used extended ASCII characters as graphics.[1][3] The format appeared popular to him but ultimately proved unsuccessful when pitching them to publishers, adding to him not having a college degree or any professional experience in game development.[1] As such, he considered self-printing copies of his games, or distributing them freely through bulletin board systems (BBS), where the boards' users make voluntary donations, a model known as shareware distribution.[1] As the prior option seemed too expensive to Miller, he had to choose the latter, despite being urged not to by friends and colleagues.[1] Miller released Beyond the Titanic and Supernova as shareware games in 1986 and 1987, respectively, but income was low, at roughly US$10,000 donated in a year for both games combined.[1] Miller's next game, Kingdom of Kroz, was developed to include 60 levels, more than what he wanted to release to the public for no cost.[1] As such, he developed a new distribution model, dubbed the "Apogee model", in which only a fraction of the game would be made available to play for free on BBS, which, upon completion, would display Miller's mailing address to the player and ask them to contact him to buy the rest of the game.[1] He applied this model to Kingdom of Kroz by breaking it up into three parts, named episodes, and sharing the first one over BBS while retaining the other two for sale.[1][2] Released on November 26, 1987, Kingdom of Kroz was the first game to bear the name of Miller's one-man company, Apogee Software Productions.[2] The game proved successful, with checks sent to Miller amounting to roughly US$80,000US$100,000 and him receiving between US$100 and US$500 every single day.[2] Broussard later joined Apogee, merging his own, lesser-known game company Micro-FX into it.[4]In 1994, Apogee decided to launch different brand names for each genre of games they published; it created 3D Realms for 3D games, publishing Terminal Velocity in 1995 and developing the 1996 Duke Nukem 3D under the name, with the other titles released in those years still under Apogee.[5] In late 1996, however, Apogee renamed the company itself to 3D Realms to associate their brand with newer, 3D titles, and stopped using the Apogee brand name.[6] The last game to be published under the Apogee name was Stargunner in 1996. Most of the proposed brands were never used, as 3D games like Duke Nukem became the company's focus. 3D Realms launched a brand for pinball games, Pinball Wizards, in February 1997, but only published Balls of Steel (1997) under the name.[5] Beginning in 1997 3D Realms shifted from episodic MS-DOS titles to non-episodic console and personal computer games. In the process it abandoned the shareware model in favor of a traditional publishing model; it also largely ceased its activities as a developer that same year, releasing only Shadow Warrior (1997).[7] The sole exceptions were Prey (2006), which stayed in development until 2001 when it was transferred to Human Head Studios, and Duke Nukem Forever (2011), which famously stayed in development at 3D Realms as vaporware until 2009.[7][8]The "Apogee Software" name, library, and logo were licensed to Terry Nagy in 2008, who formed Apogee Software, LLC as a separate company that would handle distribution, remakes, and other developments related to older Apogee games. 3D Realms retained the corporate name of Apogee Software, Ltd. Apogee Software, LLC was renamed Apogee Entertainment in 2021.[6]After Prey was transferred away from 3D Realms in 2001, the only project under development at the company was Duke Nukem Forever, originally announced in 1997. The release date of the game was "when it's done."[9] 3D Realms continued some operations as a publisher as part of the Gathering of Developers publishing group, but otherwise served only as the publisher and licensee of Duke Nukem-related spinoffs and mobile games for the next few years. On May 6, 2009, the development of Duke Nukem Forever was halted, and major staff cuts were initiated with the entire development team and most other employees laid off.[10][11] According to Miller, the development was using up much of the company's funds as they struggled to bring in new 3D rendering technology for the game, leading to the decision to cut their staff and sell the company.[12]On May 14, 2009, Take-Two, holders of the publishing rights of Duke Nukem Forever, filed a breach of contract suit against 3D Realms over failing to deliver the game.[13] Take-Two Interactive asked for a restraining order and a preliminary injunction, to make 3D Realms keep the Duke Nukem Forever assets intact during proceedings.[14][15] On May 18, 2009, 3D Realms key executives announced that "3D Realms has not closed and is not closing", but that due to lack of funds development operations were ceasing and the company would continue to "license and co-create games based upon the Duke Nukem franchise." They accused Take-Two of trying to acquire the Duke Nukem franchise in a "fire sale".[11]On September 3, 2010, Take-Two Interactive announced that development of Duke Nukem Forever had been shifted over to Gearbox Software, effectively ending 3D Realms' association with the game after 12 years of development. 3D Realms remained credited as a co-developer on Duke Nukem Forever, due to their involvement in developing most of the game. The rights and intellectual property were sold to Gearbox, however, who became the owners of the Duke Nukem franchise.[16]An external developer, Interceptor Entertainment, started work on a fan-project remake of Duke Nukem 3D in 2010. They received a limited authorization from Gearbox to proceed with the game, which was named Duke Nukem 3D: Reloaded. However, after Duke Nukem Forever's release and negative reception in 2011, Duke Nukem 3D: Reloaded was put on hold indefinitely.In an interview conducted with Scott Miller in April 2011, Miller specified that 3D Realms was involved with several projects: "we have several projects underway, all fairly smallnot any big console games. Once [Duke Nukem Forever] comes out we'll be definitely looking to invest into other projects, and maybe other up-n-coming [sic] teams who are blazing new trails on smaller platforms, like smart phones and XBLA."[17] 3D Realms did not publish any released titles over the next few years, however.In June 2013, 3D Realms sued Gearbox for unpaid royalties as well as unpaid money for selling the Duke Nukem intellectual property.[18] The lawsuit was dropped in September 2013 with 3D Realms apologizing with an announcement that they had resolved any differences they had with Gearbox. In February 2014, Gearbox sued 3D Realms, Interceptor Entertainment and Apogee Software, LLC for developing a new game called Duke Nukem: Mass Destruction. Gearbox stated that it was still the rights holder of the Duke Nukem franchise, and permission had not been granted by them to develop the game. 3D Realms soon after released a statement admitting its wrongdoing.[19] The lawsuit was settled in August 2015, with Gearbox stressing that it was still the lawful owner of the Duke Nukem intellectual property.[20]In March 2014, SDN Invest, the part-owner of Interceptor Entertainment, acquired 3D Realms for an undisclosed sum.[21] Mike Nielsen, the founder and chairman of SDN Invest, became the new chief executive officer of 3D Realms,[22] headquartered in Aalborg, Denmark and incorporated in 2015 as 3D Realms Entertainment ApS.[23][24] Miller remained with the company as a creative consultant,[25] while Apogee Software LLC retained the license to the Apogee brand and library.[26]In May 2014, 3D Realms announced they were to publish Bombshell by Interceptor Entertainment,[27] and in October 2014 the company returned to distributing its own titles with a digital anthology collection.[28][29] Bombshell was released on January 29, 2016, as 3D Realms' first published title since 2005.On February 28, 2018, 3D Realms announced the game Ion Maiden, a prequel to Bombshell, developed by Voidpoint and using Ken Silverman's Build Engine. In May 2019, the company was hit with a $2 million trademark infringement lawsuit by heavy metal group Iron Maiden who claimed Ion Maiden was "nearly identical to the Iron Maiden trademark in appearance, sound and overall commercial impression" and was "attempting to trade off on Iron Maiden's notoriety."[30] In July 2019, 3D Realms and Voidpoint changed the name of Ion Maiden to Ion Fury to end to the lawsuit. Ion Fury was released on August 15, 2019. Since then, 3D Realms published Ghostrunner (2020) and announced several projects which have been under development for multiple years without further notice.[31]In April 2021, Miller and Nagy acquired the Apogee name from 3D Realms and relaunched Apogee Software LLC as Apogee Entertainment.[32] In 2022, Miller stated in a blog post that he was now uninvolved with 3D Realms and that "[the company] no longer has any link to the past, other than in name only" because he was no longer there to help design and fund games.[33]In August 2021, Embracer Group announced that they acquired the company through Saber Interactive, which will be the parent company.[34] 3D Realms published Cultic on October 13 (2022).In March 2023, 3D Realms announced that they hired Justin Burnham (formerly of Devolver Digital, Good Shepherd) to the position of CCO.[35]On September 30, 2023, 3D Realms held its 4th annual Realms Deep event modernizing the company's branding and announcing release dates for several previously-unreleased titles. Two days later on October 2, they published Ion Fury: Aftershock in collaboration with developer Voidpoint.[36] On October 24, 2023, 3D Realms published Ripout into early access in collaboration with developer Pet Project Games.[37] On November 16, 3D Realms published The Kindeman Remedy in collaboration with developer Troglobyte Games.[38] On December 5, 2023, 3D Realms co-published (with Interplay) the Slipgate Ironworks-developed Kingpin Reloaded.[39] In mid-December, "at least half" of 3D Realms and Slipgate Ironworks was laid off as part of Embracer's restructuring.[40] Layoffs continued into January 2024.[41]On January 24, 2024, 3D Realms co-published (with Fulqrum Publishing) the Slipgate Ironworks-developed Graven out of early access.[42] On February 27, 3D Realms co-published (with Fulqrum Publishing) the Slipgate Ironworks and Killpixel Games-developed Wrath: Aeon of Ruin out of early access.[43]In March 2024, Saber Interactive was sold to Beacon Interactive, a new company from Saber co-founder Matthew Karch. Many of Saber's studios, including 3D Realms, were included in the sale.[44]Main article: List of 3D Realms games^ a b c d e f g h i j k l m n Plante, Chris (October 26, 2017). "Apogee: Where Wolfenstein got its start". Polygon. Archived from the original on October 26, 2017. Retrieved March 5, 2018.^ a b c d Edwards, Benj (August 21, 2009). "20 Years Of Evolution: Scott Miller And 3D Realms, Page 4 of 10". Gamasutra. Archived from the original on May 9, 2012. Retrieved March 5, 2018.^ Edwards, Benj (August 21, 2009). "20 Years Of Evolution: Scott Miller And 3D Realms, Page 2 of 10". Gamasutra. Archived from the original on May 9, 2012. Retrieved March 5, 2018.^ Keefer, John (March 31, 2006). "GameSpy Retro: Developer Origins, Page 10 of 19". GameSpy. Archived from the original on June 9, 2007.^ a b "3D Realms Site: Company History". 3D Realms. Archived from the original on October 17, 2016. Retrieved July 18, 2017.^ a b Plante, Chris (September 27, 2013). "Apogee: The one-man online game publisher of 1987". Polygon. Vox Media. Archived from the original on October 18, 2016. Retrieved July 11, 2017.^ a b "3D Realms Site: History". 3D Realms. Archived from the original on October 17, 2016. Retrieved June 4, 2017.^ Calore, Michael (December 7, 2009). "Vaporware 2009: A Call for Submissions". Wired. Cond Nast. Archived from the original on December 26, 2016. Retrieved July 18, 2017.^ "3D Realms Site: Duke Nukem Forever". 3D Realms. Archived from the original on November 10, 2014. Retrieved January 13, 2007.^ Breckon, Nick & Faylor, Chris (May 6, 2009). "Duke Nukem Developer 3D Realms Shuts Down (Updated)". Shacknews. Archived from the original on May 7, 2009. Retrieved May 6, 2009.^ a b "3D Realms: We're not closing, Spent $20M on Duke Nukem Forever". Kotaku Australia. May 18, 2009. Archived from the original on May 22, 2009. Retrieved May 19, 2009.^ Boudreau, Ian (May 10, 2022). "Duke Nukem Forever 'destroyed 3D Realms' Apogee founder says". PCGamesN. Retrieved May 25, 2022.^ Breckon, Nick (May 14, 2009). "Take-Two Sues 3D Realms for Failing to Deliver Duke Nukem Forever (Updated)". Shacknews. Archived from the original on May 16, 2009. Retrieved May 16, 2009.^ Breckon, Nick (May 15, 2009). "Take-Two v. 3D Realms Court Documents Materialize, 3DR's Scott Miller Responds". Shacknews. Archived from the original on May 18, 2009. Retrieved May 16, 2009.^ Faylor, Chris (May 16, 2009). "No $30M Offer for Duke Nukem IP, Says 3D Realms". Shacknews. Archived from the original on May 18, 2009. Retrieved May 16, 2009.^ "Gearbox acquires Duke Nukem IP". GameSpot. September 7, 2010. Retrieved January 9, 2023.^ Green (April 15, 2011). "Our Five-Question Interview with 3D Realms CEO Scott Miller". Duke 4. Archived from the original on March 30, 2016. Retrieved July 5, 2016.^ Narcisse, Evan (June 13, 2013). "Duke Nukem Creators 3D Realms Suing Gearbox over Unpaid Royalties". Kotaku. Archived from the original on July 29, 2013. Retrieved August 10, 2013.^ Matulef, Jeffrey (February 24, 2014). "Gearbox sues 3D Realms over Duke Nukem: Mass Destruction". Eurogamer. Archived from the original on October 9, 2016. Retrieved October 6, 2016.^ Yin-Poole, Wesley (August 19, 2015). "Gearbox and 3D Realms settle Duke Nukem lawsuit". Eurogamer. Archived from the original on October 9, 2016. Retrieved October 6, 2016.^ Yin-Poole, Wesley (March 3, 2014). "Interceptor buys 3D Realms amid Gearbox lawsuit". Eurogamer. Archived from the original on March 6, 2014. Retrieved March 3, 2014.^ Handrahan, Matthew (March 3, 2014). "Interceptor Entertainment acquires 3D Realms". GamesIndustry.biz. Archived from the original on December 20, 2018. Retrieved January 21, 2020.^ Takashi, Dean (March 16, 2023). "3D Realms hires Justin Burnham as chief creative officer to level up action games". VentureBeat. Retrieved August 16, 2023.^ "3D Realms Entertainment ApS" (in Danish). Central Business Register. Retrieved August 16, 2023.^ Yin-Poole, Wesley (March 3, 2014). "Interceptor buys 3D Realms amid Gearbox lawsuit". Eurogamer. Retrieved August 16, 2023.^ Chalk, Andy (October 23, 2014). "3D Realms returns with 32-game anthology bundle". PC Gamer. Retrieved August 16, 2023.^ Purchese, Robert (May 15, 2014). "3D Realms reveals PC and PS4 action-RPG Bombshell". Eurogamer. Archived from the original on June 2, 2016. Retrieved October 6, 2016.^ Matulef, Jeffrey (October 23, 2014). "3D Realms returns, releases anthology". Eurogamer. Retrieved August 16, 2023.^ Hing, David (October 24, 2014). "3D Realms returns with anthology bundle". Bit-Tech. Retrieved August 16, 2023.^ Beaumont-Thomas, Ben (May 30, 2019). "Iron Maiden sue video game company for $2m over Ion Maiden game". The Guardian. Archived from the original on June 4, 2019. Retrieved June 4, 2019.^ Yin-Poole, Wesley (September 5, 2020). "3D Realms announces Graven, the spiritual successor to Hexen 2". Eurogamer. Archived from the original on September 7, 2020. Retrieved September 5, 2020.^ Sinclair, Brendan (April 20, 2021). "Scott Miller on relaunching Apogee Entertainment as indie publisher". GamesIndustry.biz. Retrieved August 16, 2023.^ Miller, Scott (January 25, 2022). "Clearing the confusion about Apogee and 3D Realms". Apogee Entertainment.^ Romano, Sal (August 4, 2021). "Embracer Group acquires 3D Realms, CrazyLabs, Digixart, Easy Trigger, Force Field, Ghost Ship Games, Grimfrost, and Slipgate Ironworks". Gematsu.^ Takahashi, Dean (March 16, 2023). "3D Realms hires Justin Burnham as chief creative officer to level up action games". VentureBeat. Retrieved February 17, 2024.^ ""Realms Deep 2023 Recap: 3D Realms Reboots with Ion Fury: Aftershock Shadow Drop, Kingpin: Reloaded, GRAVEN, and WRATH Release Dates Revealed, New Titles Announced, and Much More " - Games Press". www.gamespress.com. Retrieved February 17, 2024.^ ""Pet Project Games to Release Ripout Into Early Access in October 2023 " - Games Press". www.gamespress.com. Retrieved February 17, 2024.^ Handley, Zoey (November 16, 2023). "Gruesome medical management game The Kindeman Remedy is out today". Destructoid. Retrieved February 17, 2024.^ Andy Chalk (October 2, 2023). "After 3 years of silence, Kingpin Reloaded resurfaces with a new trailer and a December release date". PC Gamer. Retrieved February 17, 2024.^ Rousseau, Jeffrey (December 18, 2023). "3D Realms and Slipgate Ironworks reportedly see layoffs". GamesIndustry.biz. Retrieved March 6, 2024.^ Carter, Justin (January 3, 2024). "Report: 3D Realms and Slipgate may have been hit with more layoffs". www.gamedeveloper.com. Retrieved March 6, 2024.^ Perrault, Patrick (October 25, 2022). "Final Graven Early Access Update Out Now". TechRaptor. Retrieved February 17, 2024.^ "WRATH: Aeon of Ruin launches February 27, 2024 for PC". Gematsu. September 30, 2023. Retrieved February 17, 2024.^ McEvoy, Sophie (March 14, 2024). "Embracer sells Saber Interactive for $247m". GamesIndustry.biz. Retrieved March 14, 2024.Official websiteRetrieved from " 3The following pages link to 3D Realms External tools(link counttransclusion countsorted list) See help page for transcluding these entriesShowing 50 items.View (previous 50 | next 50) (20 | 50 | 100 | 250 | 500)Bulletin board system (links | edit)Doom (1993 video game) (links | edit)Duke Nukem 3D (links | edit)Heretic (video game) (links | edit)Hexen: Beyond Heretic (links | edit)Hexen II (links | edit)Id Software (links | edit)Lucasfilm Games (links | edit)Rise of the Triad (links | edit)Shareware (links | edit)Tomb Raider (links | edit)History of video games (links | edit)Wolfenstein 3D (links | edit)Ritual Entertainment (links | edit)Commander Keen (links | edit)John Carmack (links | edit)Takeover (links | edit)Sin (video game) (links | edit)Vaporware (links | edit)Jumpman (video game) (links | edit)Strife (1996 video game) (links | edit)Duke Nukem Forever (links | edit)Dark Horse Comics (links | edit)Daikatana (links | edit)Apogee Entertainment (links | edit)John Romero (links | edit)Michael Abrash (links | edit)Interplay Entertainment (links | edit)Bruce Dern (links | edit)Descent: FreeSpace The Great War (links | edit)Hovertank One (links | edit)Catacomb 3-D (links | edit)Daniel Bernstein (links | edit)ZZT (links | edit)Max Payne (video game) (links | edit)The Matrix Online (links | edit)Doom engine (links | edit)Tom Hall (links | edit)Ken Silverman (links | edit)The Operative: No One Lives Forever (links | edit)Monolith Productions (links | edit)LithTech (links | edit)American McGee (links | edit)Adrian Carmack (links | edit)List of films based on video games (links | edit)List of PlayStation (console) games (AL) (links | edit)Captain Planet and the Planeteers (links | edit)Max Payne 2: The Fall of Max Payne (links | edit)Apogee Games (redirect page) (links | edit)Talk:Apogee Games (links | edit)User:Frecklefoot (links | edit)Epic Games (links | edit)View (previous 50 | next 50) (20 | 50 | 100 | 250 | 500)Retrieved from " WhatLinksHere/3D_Realms"

How do i create a 16 label template in word. How to build a label template in word. How to create a label template in word. Creating labels word. How to make template on word. How to make label in word. Does microsoft word have a label template.