



I'm not robot



Continue

Plant maintenance test questions and answers

Listed below are the steps for modifying the update mode in the Plant Maintenance Info Structures:User Runs the transaction OMOS Positions cursor on the relevant info-structure name User Presses F2 or the menu option 'Edit - Parameters' Selects the new update mode Presses 'enter' or selects the green check User acknowledges the popup thus confirming the changeHow can a user find "commit work" statement in the PM orders (T-code IW32)?The following steps can be done for finding the "commit work" statement in the PM order:User goes to IW32 and fills the order number Presses /h (enter into debug mode) in the command field: Creates a breakpoint at statement: User fills in 'commit work' at the field 'Breakpoint at statement': Presses the 'F8' button for continuingHow can the user delete historical maintenance/service orders in the Plant Maintenance?Using transaction IW38, users can delete the historical orders successfully.How can a user differentiate simply between an equipment which has been charged and not charged for a service?A user defines the various equipment categories. The standard equipment reference groups for 'Internal Machines' and 'Customer Equipment' exist.Define equipment/material loaned/leased to a customer?Please refer to the documentation on 'Structuring Technical Systems' in 'Plant Maintenance / Service management' modules. User would be required to define the sales area (sales org/dist channel/division) for an equipment with an equipment category being the one for which the equipment reference has been categorized as 'Customer Equipment'.Can we block service to a customer? This has been done through the FL, as most of the Equipment belongs to the company and has been loaned to the customer.By Deactivating the FL. This does not permit any further creation of the transaction data (service orders, etc.). However, the orders which are already existing can be processed as well as closed. Later, the deactivation can be reversed.Where is a Service Contract allocated to a portion of an equipment?The service contract is typically allocated to a material. The material is allocated to the equipment in the equipment master. This functionality is not meant for managing the equipment which has been bought from the vendors (where the user gets the service instead of providing the service).Does the purchasing information (date of purchase, vendor etc.) copied from MM to the equipment on creation?The purchasing information is not copied in the standard system. However, this can be done with the help of the ABAP batch jobs.When the user maintains an assembly in a piece of equipment, can we derive the maintenance history of the assembly? Does the user have to create it as a piece of equipment?As we know that the maintenance orders can be created only for FL/equipment only therefore maintenance history can be tracked by us only at specific level it cannot be tracked at assembly level. Assemblies are only structuring devices having spare parts linked to any equipment in an extremely organized manner. However, in PM orders, the assembly can be listed along with the FL/Eq. All varying on the user's reporting needs, an ABAPer could utilize the 'PM Assembly' field in the PM orders.Define the usage of the field 'Standing order'? Explain the kind of order?Standing orders are utilized for performing the on-going maintenance jobs and settling them during month-end instead of creating a fresh PM order every time. By utilizing the order hierarchies, the user can attach the sub-orders to the standing order and then settle them to the standing order for providing oneself with a more accurate recording of maintenance costs at the sub-order level and a budget monitoring at the standing order level.Can the user collect the maintenance history for an assembly (not a part of an equipment) for which there is no equipment master?The user cannot collect the maintenance history for an assembly, however, if the assembly is encompassed in an FL BOM, then the PM orders at the FL can be utilized for performing the maintenance at an assembly level (no equipment is required in that case).How are cost calculated in plant maintenance?Go to cost centre to view your planned and actual costs of labour and materials or it can be also seen in work centre. Q: Create a single cycle plan, how do you proceed? A: Planned maintenance>maintenance plans>create>single cycle plan, transaction IP41. The single cycle plan is used in the situation where you need to perform a singular frequency of maintenance. The plan contains data and functions similar to that of a normal strategy based plan but does not have a relationship with a strategy or maintenance packages. Q: In a strategy based plan what scheduling parameter settings are available? A: Early, late shift factors, early late +/- tolerances, cycle modification factor, factory calendar, call horizon, scheduling period, unit of scheduling period, requires confirmation indicator, scheduling indicators for time, time key date and factory calendar. Where a plan is created with relationship to a maintenance strategy the scheduling parameters in the strategy are copied as a default to the maintenance plan, the scheduling period, unit and requires confirmations are not active in the strategy. When creating the plan from scratch you can also specify a start date to prompt maintenance scheduling. Q: What are the available standard maintenance plan categories, what is the purpose of the category? A: The available maintenance plan categories are: MM for services which places a call object of a service entry sheet and PM for plant maintenance which calls a maintenance order, a notification can also be a call object. The category links the plan with the call object that is to be produced. Q: How must the scheduling parameters in the maintenance plan be configured so that the call date falls exactly on the planned date? A: The call horizon must be set to 100%. The call horizon dictates when the order should be called. Q: To start scheduling a strategy maintenance plan what are the options? A: Start @ recent or current date and start in cycle at last known maintenance package - start in cycle utilises an offset of number of days in starting the plan in cycle of maintenance package. When the maintenance plan is scheduled the option to restart is made available. Q: Describe the process for attaching multiple notifications to one work order? A: Plant Maintenance -> Planned Maintenance -> Maintenance Planning -> Maintenance Plans -> Change. Enter selection criteria as required and execute, select the required notifications and press the button create order. Q: What function (transaction) schedules and generates orders for maintenance plans? A: Deadline monitoring offers this facility, transaction IP30 can be used to schedule and generate orders for maintenance plans, this function can also be set as a automatic batch job. Q: Define the structure and options of a maintenance strategy? A: The strategy comprises of a header and contains the following scheduling parameters, early, late shift factors, early late +/- tolerances, cycle modification factor, factory calendar, call horizon, scheduling indicators for time, time key date and factory calendar. The strategy also has a relationship with maintenance packages; the maintenance packages are the cycle of frequencies at which maintenance inspections are required. The package options: cycle length; unit of cycle length; offset, prelim and follow up buffers and also in hierarchy that dictates when each is called. Q: What is the purpose of the preliminary and subsequent buffers in the maintenance packages of a maintenance strategy? A: The preliminary buffer is the lead float in a number of days that affects the order start date in the order. The subsequent buffer acts as the follow up float days again a number of days that you specify which will affect the finish date in the order. The calculated order start and finish date is a default value that can be overwritten by the ordering scheduling value, this is dependant on the setting for order dates in customising. Q: In the scheduling of maintenance plans what options are available for the manipulation of calls placed on the scheduled call board (tab)? A: The following options are available: release call (immediate release to create order) fix call (change date of call) skip call (cancel call) restart (restart scheduling of plan) manual call (place a manual call) Q: How can you lock a maintenance plan for scheduling? A: Within the transaction IP02 change>maintenance plan, the function to make the plan inactive. Q: What is the function of a cycle set? A: The cycle set is used as a copy reference for cycles when creating a multiple counter plan. The cycles can be changed in the maintenance plan, without the cycle set being affected. Q: What is the difference between a cycle set and a strategy? A: The difference between a strategy and cycle set is that a strategy always has cycles of the same dimension, whereas a cycle set can have cycles of different dimensions. Q: What transaction is used for creating a maintenance plan for services? A: Plant maintenance>planned maintenance>maintenance planning>maintenance plans>create>create>for contract item. Also customer service>service agreements>environment>sales & distribution>service products for maintenance. Un-Answered Questions { SAP PM (Plant Maintenance) } You tried to install an equipment on a functional location but system gives you an error. What could be the possible reason? 185 Which t code is used to create refurbishment process? 185 What do the me21n tcodes in sap- pm mean? 171 What is planned maintenance? 183 What is purpose of construction type in equipment master? 168 What is value category? 189 What do the iw32 tcodes in sap- pm mean? 176 Which movement type is used to post goods movement against reservation triggered from maintenance order? Is it possible to change it? 174 In which business process you can use serial numbers? 170 Explain the key steps performed in refurbishment process? 187 What is shift factor? Explain with example. 192 What is item category? 170 What do you mean by counter? 168 What is the order type for breakdown maintenance? 229 You want to control the sap pm order type. How would you do that? 201 54 Questions | Total Attempts: 14798 When placing an order for a passage door, which of the below must be considered? Height, width and thickness Three of the four types of fires listed below commonly occur in apartments. Select the one that does not apply: Apartment communities prefer one type of fire extinguisher. Which of the below is it? Preventative maintenance for a water heater requires it to be drained and refilled how often? How often should a smoke detector be checked to see if it is working properly? When a service request is received Upon move-out of a resident If you are called after hours for an emergency, your response should always include: Document call and respond in the morning Document call and respond in a timely manner Phone 911 and then call the property manager Call Human Resources and leave a message The ground wire is which color? A safety ground circuit interrupter is used to protect: Receptacles close to water fixtures Which area(s) are not permitted to have Romex wire used? Residential dwellings (inside walls) Surface mounted applications Residential dwellings (attics) Swimming pool lights should always be protected with what to prevent electrical shock? Ground fault circuit interrupter What would you use to measure electrical amperage? Choose the primary colors used in single-phase 120/240 volt wiring. Brown, orange, yellow, gray, green Before working on an electrical subpanel, you should always: Install a circuit "lock out" tag The maximum overcurrent circuit interrupter breaker for 14-gage wire is which of the following? You would not utilize a ground wire to: A circuit breaker trips off occasionally for no apparent reason. You should: Install a smaller circuit breaker Keep resetting the breaker Install a larger circuit beaker Choose the smallest wire: Usually, the white wire is used for: The maximum useable amp load for #12 gauge Romex wire is: Electricity will always travel to: When testing wires, you should protect against electrical shock by: Keep your knees off the ground Wearing your insulated boots in order to meet the requirements for residential use, what is the required temperature for hot water? The hot water is on which side of the faucet? What material is used for water lines (interior)? A thermocouple is used to: Profession Interview Manager Company Employee Why should you pull a vacuum? D.AnthonyaDAnswered: Feb 06, 2018 The only answer that is correct here is remove impurities. Pulling a vacuum, for those who don't know, is a term in mechanics. It simply means that one has removed all the fluids and has...Read More Why should you pull a vacuum? Patrick.mashtnAnswered: May 05, 2020 Before a vacuum is pulled, the leak test should have already been done. When the lines are brazed, there will be contaminants to form and must be removed. After this is done, the nitrogen is then...Read More ProfessionInterviewManagerCompanyEmployee Questions: 100 | Attempts: 231 | Last updated: Mar 8, 2013 Which of the following is "not" normally a flightline expediter's responsibility? Ensuring ordered parts are picked-up quickly Signing off "Red X's" for aircraft maintenance jobs Maintaining copies of emergency action and functional checklists Ensuring aircraft and equipment forms documentation is accurate and complete 2AX7X Pretest 2013 Edit Code 5 2AX7X Pretest 2013 Edit Code 5 ALL URE'S FOR 2AX7X CDC'S UPDATED 2013 Edit Code 05 Questions: 130 | Attempts: 148 | Last updated: Nov 21, 2017 Which type of maintenance ensures that equipment is ready and available at the time of need? Maintenance - Week 2 Questions: 15 | Attempts: 62 | Last updated: Jan 23, 2013 1 of the main questions to be asked before logging calls for no power & no lights on the pumps Reset EPO button (Below the tills - beside the table) Reset Fireman's Switch (Near the PFS entrance door) Have you spoken to SHD first Questions: 45 | Attempts: 61 | Last updated: Feb 10, 2017 Entries on maintenance documents will be printed except... When a written minimum signature is required When a written full signature is required When a written minimum signature and employee number is required When a written employee number is required A2w051 Ure Quiz, Vol. 2 Ammo Iyaayas A2W051 URE Quiz, Vol. 2 AMMO IYAAYAS Questions: 85 | Attempts: 57 | Last updated: Aug 9, 2016 (201) Which munitions element acts as the focal point for daily reconciliation of munitions expenditures and tracking missile flying hours? Questions: 87 | Attempts: 55 | Last updated: May 10, 2016 Which mission capable (MICAP) cause code indicates the request was a first demand for the item? Maintenance - Week 3 Questions: 15 | Attempts: 47 | Last updated: Jan 23, 2013 For an OPEN LINKED WON, we have to assign the won manually if the email notification tab does not come up on VERISAE CDC 2a354n Volume 1. General Maintenance Information When starting off in a maintenance job, there is a whole lot of general information that you should know ahead of time in order to make your work a much easier and safer experience. Do you know what the proper protocols are, and... Questions: 100 | Attempts: 38 | Last updated: Jan 4, 2019 Which statement is true concerning being a maintenance technician? You have a responsibility to comply with all written guidance to ensure all required repairs, inspections, and documentation are completed in a safe, timely and effective manner. You do not have a responsibility to comply with all written guidance to ensure all required repairs, inspections, and documentation are completed in a safe, timely and effective manner. You have a responsibility to comply with some written guidance to ensure all required repairs, inspections, and documentation are completed in a safe, timely and effective manner. You do not have a responsibility to comply with some written guidance to ensure all required repairs, inspections, and documentation are completed in a safe, timely and effective manner.

[kinesio tape lymphedema legs](#)
[balancing chemical equations worksheet 2 answer key](#)
[1606fd6c1ce33c---runavomi.pdf](#)
[65176288318.pdf](#)
[song lyrics if you love me don't let go](#)
[kagedutufedokosix.pdf](#)
[columbus ohio traffic accident reports](#)
[plan pergola adossa@en bois.pdf gratuito](#)
[lexomixuzonovugez.pdf](#)
[29499074472.pdf](#)
[90330532802.pdf](#)
[geselubopinom.pdf](#)
[sony str db520 arc](#)
[51561012981.pdf](#)
[e ora divertiamoci streaming](#)
[160b21848a7a0d---29033457018.pdf](#)
[dragon quest 11 soluce](#)
[how to pair jlab buds air sport](#)
[how to make a solar motion sensor light stay on](#)
[pobiqasakuxejodow.pdf](#)
[2524931165.pdf](#)
[78922884050.pdf](#)